No. 8700102

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY, AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9202'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington, D. C. *this* 30th *day of* June *in the year of our Lord one thousand nine hundred and* eighty-eight.

Attest:

Kenneth A. Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Richard E. Lyng
Secretary of Agriculture

APPROVAL EXPIRES 2-28-88

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

FORM APPROVED: OMB NO. 0581-0055

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S)
Pioneer Hi-Bred International, Inc.

2. TEMPORARY DESIGNATION

3. VARIETY NAME
9202

4. ADDRESS *(Street and No. or R.F.D. No., City, State, and Zip Code)*
700 Capital Square
400 Locust Street
Des Moines, IA 50309

5. PHONE *(Include area code)*
319/234-0335

FOR OFFICIAL USE ONLY

PVPO NUMBER
8700102

6. GENUS AND SPECIES NAME
Glycine Max

7. FAMILY NAME *(Botanical)*
Leguminosae

FILING
DATE: March 31, 1987
TIME: 9:30 [✓] A.M. [ ] P.M.

8. KIND NAME
Soybean

9. DATE OF DETERMINATION
September, 1981
January, 1985 (increase)

FEES RECEIVED
AMOUNT FOR FILING: $ 1800 00
DATE: March 31, 1987
AMOUNT FOR CERTIFICATE: $ 200 00
DATE: May 2, 1988

10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION *(Corporation, partnership, association, etc.)*
Corporation

11. IF INCORPORATED, GIVE STATE OF INCORPORATION
Iowa

12. DATE OF INCORPORATION
1926

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS

Clark W. Jennings
3261 West Airline Hwy
Waterloo, IA 50703-9610

Mary Helen Mitchell (Copy)
700 Capital Square - 400 Locust Street
Des Moines, IA 50309
PHONE *(Include area code)*:

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED

a. [X] Exhibit A, Origin and Breeding History of the Variety *(See Section 52 of the Plant Variety Protection Act.)*
b. [X] Exhibit B, Novelty Statement.
c. [X] Exhibit C, Objective Description of Variety *(Request form from Plant Variety Protection Office.)*
d. [ ] Exhibit D, Additional Description of Variety.
e. [X] Exhibit E, Statement of the Basis of Applicant's Ownership.

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? *(See Section 83(a) of the Plant Variety Protection Act.)* [ ] Yes *(If "Yes," answer items 16 and 17 below)* [X] No

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
[ ] Yes [X] No

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
[ ] Foundation [ ] Registered [ ] Certified

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?
[ ] Yes *(If "Yes," give date)*
[X] No

19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES ?
[ ] Yes *(If "Yes," give names of countries and dates)*
[X] No

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT
Clark W. Jennings
DATE: March 19, 1987

SIGNATURE OF APPLICANT
DATE

FORM LS-470
(3-86)

Edition of 7-84 obsolete.

8700102

AMMENDMENT TO EXHIBITS A AND E (May, 1987)

Attachment: **9202 Soybean** (March, 1987)

Exhibit A: Variety **9202** evolved from a cross of Callahan Enterprises variety CM184 x variety S1346. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of **9202** was grown in Iowa during the summer of 1981. Subsequently, **9202** has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Four acres of **9202 (breeders seed) were grown in 1985.** 55 acres of parent seedstock (foundation seed equivalent) were grown in 1986.

Exhibit B: Variety **9202** is most similar to variety 1677. However, the seed size of **9202** is significantly larger than that of 1677 by more than 900 seeds per pound (see Table 1.)

Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety **9202**, for which it solicits a certificate of protection.

Application No. 8700102

Amendment: 9202 Soybean (April, 1988)

Exhibit B: Variety **9202** most closely resembles varieties 1677, Oak, P61-22, PX181-88, CS24, HP20-20, and Corsoy. All varieties have purple flowers, gray pubescence, and yellow seeds with yellow hila.

However, seed size of **9202** is significantly larger than 1677 by more than 900 seeds per pound (see Table 1). Variety **9202** has high seed coat protein peroxidase activity whereas Oak has low activity.

Also, variety **9202** is significantly shorter than PX188-88 by 10 inches (see Table 2), CS24 by 7 inches (see Table 3), and HP20-20 by 9 inches (see Table 4).

Variety 9202 has significantly fewer seeds per pound than P61-22 by 459 seeds (see Table 5) and Corsoy by 536 seeds (see Table 6).

Table 1. Paired Comparison (Number Seeds per Pound) **1986 Data**

EXP	LOC	9202(X_1)	1677(X_2)	(X_2-X_1)	(X_2-X_1)^2
CFA	02	2,296	3,363	1,067	1,138,489
	14	2,276	3,407	1,131	1,279,161
	15	2,608	3,508	900	810,000
	11	2,468	3,346	878	770,884
	13	2,288	3,214	926	857,476
	01	2,456	3,212	756	571,536
	09	2,438	3,292	854	729,316
	TOTAL	**16,830**	**23,342**	**6,512**	**6,156,862**
	$\bar{X}$	2,404	3,335	931	

N = 7

$$s_{\bar{d}} = \sqrt{\frac{6,156,862 - [(6,512)^2/7]}{7(6)}} = 48.5$$

$$t_{(.05)} = \frac{\bar{d}}{s_{\bar{d}}} = \frac{931}{48.5} = 19.19 \quad ** \text{ for 6 df}$$

8700102

Table 2. Paired Comparison (Height in Inches) 1987 Data

OBSERVATION #	PX181-88(X_1)	9202(X_2)	($X_1 - X_2$)	($X_1 - X_2$)^2
1	45	33	12	144
2	45	31	14	196
3	48	34	14	196
4	44	35	9	81
5	39	37	2	4
6	45	37	8	64
7	46	38	8	64
8	51	35	16	256
TOTAL	**363**	**280**	**83**	**1,005**
$\bar{X}$	**45.4**	**35.0**	**10.4**	

$$s_{\bar{d}} = \sqrt{\frac{1{,}005 - [(83)^2/8]}{8(7)}} = 1.603$$

$$t = \frac{10.4}{1.603} = 6.49 \text{ ** for 7 df}$$

8700102

Table 3. Paired Comparison (Height in Inches) 1987 Data

OBSERVATION #	CS24(X_1)	9202(X_2)	($X_1 - X_2$)	($X_1 - X_2$)^2
1	41	33	8	64
2	42	31	11	121
3	43	34	9	81
4	42	35	7	49
5	39	37	2	4
6	42	37	5	25
7	42	38	4	16
8	48	35	13	169
TOTAL	**339**	**280**	**59**	**529**
$\bar{X}$	**42.4**	**35.0**	**7.4**	

N = 8

$$s_{\bar{d}} = \sqrt{\frac{529 - [(59)^2/8]}{8(7)}} = 1.295$$

$$t = \frac{7.4}{1.295} = 5.72 \text{ ** for 7 df}$$

8700102

Table 4. Paired Comparison (Height in Inches) 1987 Data

OBSERVATION #	HP2020(X_1)	9202(X_2)		($X_1 - X_2$)	($X_2 - X_1$)^2
1	44	33	|	11	121
2	44	31	|	13	169
3	43	34	|	9	81
4	41	35	|	6	36
5	44	37	|	7	49
6	47	37	|	10	100
7	47	38	|	9	81
8	47	35	|	12	144
TOTAL	**357**	**280**	|	**77**	**781**
$\bar{X}$	**44.6**	**35.0**	|	**9.6**	

N = 8

$$s_{\bar{d}} = \sqrt{\frac{781 - [(77)^2/8]}{8(7)}} = 0.844$$

$$t = \frac{9.6}{0.844} = 11.37 \text{ ** for 7 df}$$

8700102

Table 5. Paired Comparison (Seeds per Pound) 1987 Data

OBSERVATION #	P61-22(X_1)	9202(X_2)		(X_2-X_1)	(X_2-X_1)^2
1	3,154	2,686		468	219,024
2	3,116	2,706		410	168,100
3	3,166	2,764		402	161,604
4	3,192	2,742		450	202,500
5	2,962	2,642		320	102,400
6	2,936	2,610		326	106,276
7	3,160	2,516		644	414,736
8	3,140	2,488		652	425,104
TOTAL	**24,826**	**21,154**		**3,672**	**1,799,744**
$\bar{X}$	**3,103**	**2,644**		**459**	

N = 8

$$s_{\bar{d}} = \sqrt{\frac{1{,}799{,}744 - [(3{,}672)^2/8]}{8(7)}} = 45.18$$

$$t = \frac{459}{45.18} = 10.16 \text{ ** for 7 df}$$

8700102

Table 6. Paired Comparison (Seeds per Pound) 1987 Data

OBSERVATION #	CORSOY(X_1)	9202(X_2)	(X_2-X_1)	(X_2-X_1)^2
1	3,186	2,686	500	250,000
2	3,206	2,706	500	250,000
3	3,170	2,764	406	164,836
4	3,170	2,742	428	183,184
5	3,078	2,642	436	190,096
6	3,052	2,610	442	195,364
7	3,254	2,516	738	544,644
8	3,328	2,488	840	705,600
TOTAL	**25,444**	**21,154**	**4,290**	**2,483,724**
$\bar{X}$	**3,180**	**2,644**	**536**	

N = 8

$$s_{\bar{d}} = \sqrt{\frac{2,483,724 - [(4,290)^2/8]}{8(7)}} = 57.2$$

$$t = \frac{536}{57.2} = 9.37 \text{ ** for 7 df}$$

FORM APPROVED: OMB NO. 0581-0056

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		9202

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*
700 Capital Square
400 Locust Street
Des Moines, IA 50309

FOR OFFICIAL USE ONLY
PVPO NUMBER
8700102

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]).

1. SEED SHAPE:

[2]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

2. SEED COAT COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[1] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

4. SEED SIZE: (Mature Seed)

[1][9] Grams per 100 seeds

5. HILUM COLOR: (Mature Seed)

[2] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)* _____

6. COTYLEDON COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green

7. SEED PROTEIN PEROXIDASE ACTIVITY:

[2] 1 = Low 2 = High

8. SEED PROTEIN ELECTROPHORETIC BAND:

[ ] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

9. HYPOCOTYL COLOR:

[4] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

10. LEAFLET SHAPE:

[3] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')
3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton')
3 = Dark Green ('Gnome'; 'Tracy')

13. FLOWER COLOR:

[2] 1 = White 2 = Purple 3 = White with purple throat

14. POD COLOR:

[2] 1 = Tan 2 = Brown 3 = Black

15. PLANT PUBESCENCE COLOR:

[1] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[2] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')
3 = Bushy ('Gnome'; 'Govan')

17. PLANT HABIT:

[3] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')
3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

18. MATURITY GROUP:

[0][5] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V
9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

[0] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

[0] Bacterial Blight *(Pseudomonas glycinea)*

[0] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

[0] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

[0] Race 1 [0] Race 2 [0] Race 3 [0] Race 4 [0] Race 5 [ ] Other *(Specify)* _____

[0] Target Spot *(Corynespora cassiicola)*

[0] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[0] Powdery Mildew *(Microsphaera diffusa)*

[0] Brown Stem Rot *(Cephalosporium gregatum)*

[0] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*



19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

[0] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[0] Purple Seed Stain *(Cercospora kikuchii)*

[0] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

[1] Race 1 [1] Race 2 [0] Race 3 [0] Race 4 [0] Race 5 [0] Race 6 [0] Race 7

[0] Race 8 [0] Race 9 [ ] Other *(Specify)* _____

VIRAL DISEASES:

[0] Bud Blight (Tobacco Ringspot Virus)

[0] Yellow Mosaic (Bean Yellow Mosaic Virus)

[0] Cowpea Mosaic (Cowpea Chlorotic Virus)

[0] Pod Mottle (Bean Pod Mottle Virus)

[0] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

[0] Race 1 [0] Race 2 [0] Race 3 [0] Race 4 [0] Other *(Specify)* _____

[0] Lance Nematode *(Hoplolaimus Colombus)*

[0] Southern Root Knot Nematode *(Meloidogyne incognita)*

[0] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[0] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[0] Reniform Nematode *(Rotylenchulus reniformis)*

[ ] OTHER DISEASE NOT ON FORM *(Specify):* _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[1] Iron Chlorosis on Calcareous Soil

[ ] Other *(Specify)* _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Mexican Bean Beetle *(Epilachna varivestis)*

[0] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	1677	Seed Coat Luster	1677
Leaf Shape	1677	Seed Size	9201
Leaf Color	1677	Seed Shape	S1346
Leaf Size	1677	Seedling Pigmentation	1677

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
9202 Submitted	126	1.7	95	-	-	35	18	18.8	-
1677 Name of Similar Variety	123	2.3	99	-	-	35	19	13.6	-

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.